



## PRODUCT DATA SHEET

**H9395**

**Werlatone®** High Power 180° RF Hybrid Combiners/Dividers balance traditional technologies with disruptive microwave techniques. The outcome is a microwave component which provides an order of magnitude improvement over current capabilities. Our newest line of high power, patented 180° RF Hybrid Combiners/Dividers provides an incredible 5:1 bandwidth, while exhibiting exceptionally low loss and superior port-to-port isolation.

### Features:

High Power      Wide Bandwidths      Small Size      Excellent Amplitude Balance

### Electrical Specifications:

Frequency: 350 - 1000 MHz  
Power: 250 W CW  
Insertion Loss: 0.3 dB Max.  
VSWR: 1.30:1 Max.  
Phase Balance:  $180^\circ \pm 7^\circ$  Max.  
Amplitude Balance:  $\pm 0.4$  dB Max.  
Isolation: 20 dB Min.

### Mechanical Specifications:

Type: Connectorized  
Material: Aluminum 6061-T6  
Surface Finish: Chem. Film Per MIL-DTL-5541F Type I Class 3 (Yellow Iridite) RoHS Compliant Available  
Operating Temperature: -55°C to +75°C  
Storage Temperature: -60°C to +85°C  
Size: 3.5 x 4.28 x 1.06"

### Connector Configurations:


| Model    | Sum Port (J1) | Inputs/Outputs (J2,J3) | Diff. Port (J4) |
|----------|---------------|------------------------|-----------------|
| H9395-10 | N Female      | N Female               | N Female        |

**Werlatone's** standard line of High Power 180° RF Hybrid Combiners/Dividers covers multiple octaves within a microwave device. Low frequency 180° Hybrid Combiner/Dividers employ proprietary ferrite transmission line techniques, similar to our 0° Combiners/Dividers. Insertion loss in both sum and difference ports is minimal, allowing the hybrid to handle high power over its frequency range. Custom requirements are welcome.



# WERLATONE

Model H9395  
180° Hybrids Connectorized




## PRODUCT DATA SHEET


H9395

### Performance Data (Specifications subject to change without notice):


Coupling:




VSWR:



Isolation:




Phase Balance:



Restriction on use, duplication, or disclosure of proprietary information. This document contains proprietary information which is the sole property of Werlatone, Inc.

Werlatone, Inc. 17 Jon Barrett Road Patterson, NY 12563 T:(845)278-2220 F:(845)278-3440 sales@werlatone.com www.werlatone.com

**RESTRICTION ON USE, DUPLICATION OR DISCLOSURE OF PROPRIETARY INFORMATION**  
 This document contains proprietary information which is the sole property of Werlatone, Inc.



**NOTES: UNLESS OTHERWISE SPECIFIED**

1. MAT'L: ALUMINUM 6061-T6
2. FINISH: CHEM FILM PER-DTL-5541F TYPE 1 CLASS 3 (YELLOW IRIDITE)
3. CONNECTORS: N (FEMALE)

|   | A                | B               | C         | D        |
|---|------------------|-----------------|-----------|----------|
| 1 | REVISION HISTORY |                 |           |          |
| 2 | REV              | REVISION RECORD | DATE      | APPROVED |
| 3 | -                | INITIAL RLS     | 5/23/2012 | BW       |
| 4 |                  |                 |           |          |
| 5 |                  |                 |           |          |
| 6 |                  |                 |           |          |

|   |  |       |          |   |
|---|--|-------|----------|---|
| UNLESS OTHERWISE SPECIFIED  |  | DWN   | DATE     | <b>WERLATONE   SINCE 1965</b><br>17 Jon Barrett Rd<br>Patterson, NY 12563 |
| • INTERPRET DRAWING IAW MIL-STD-100<br>• DIMENSIONING PER ASME Y14.5M-2009<br>• PARENTHESES INFO FOR REF ONLY<br>• DIMENSIONS ARE IN INCHES<br>• DIMENSIONAL LIMITS APPLY BEFORE PROCESSES<br>• TOLERANCES: ANGLES ± 2°<br>3 PL ± .005<br>2 PL ± .015 |  | NH    | 05/23/12 |   |
|   |  | CHK   | DATE     | TITLE   |
|   |  | BW    | 05/23/12 |   |
|   |  | ENGR  | DATE     | <b>OUTLINE</b><br>SIZE CAGE CODE DWG NO<br>A 28812 20904-500              |
|   |  | BW    | 05/23/12 |   |
|   |  | MFGR  | DATE     | REV   |
|   |  | QA    | DATE     |   |
|   |  | RLSE  | DATE     | -   |
| THIRD ANGLE PROJECTION  |  | SCALE | 1:2      | SHEET 1 OF 1  |

**Restriction on use, duplication, or disclosure of proprietary information.** This document contains proprietary information which is the sole property of Werlatone, Inc.  
 Werlatone, Inc. 17 Jon Barrett Road Patterson, NY 12563 T:(845)278-2220 F:(845)278-3440 sales@werlatone.com www.werlatone.com