



QH9498

PRODUCT DATA SHEET Our patented 3 dB 90° Hybrid Couplers provide: • Superior component performance starting at 3:1 Bandwidth. • Thicker center boards for high power and increased repeatability. • Bonded structures which eliminate any air gaps between substrates. • More sections per bandwidth for better coupling flatness. • Electrically shorter and physically smaller RF components. Features: High Power Wide Bandwidths Small Size Excellent Amplitude Balance **Electrical Specifications:** 200 - 650 MHz Frequency: Power: 200 W CW Insertion Loss 0.5 dB Max. VSWR: 1.40:1 Max. Phase Balance: + 5° dB Max. Amplitude Balance: + 0.4 dB Max. Isolation: 18 dB Min. Mechanical Specifications: Surface Mount Type: Plating Options: QH9498-Pb: Electrodeposited Tin/Lead Size: 2.8 x 1.25 x 0.16" **Port Configurations:** Output Input J2 **J1** J4 J3 -3 dB, 0° Isolated -3 dB, -90° **J1** J2 -3 dB, 0° Isolated -3 dB, -90° J3 -3 dB. 0° -3 dB. -90° Isolated J4 -3 dB, -90° -3 dB, 0° Isolated Werlatone's breakthrough technology allows us to build our existing line of Broadband 3 dB High Power 90° Hybrid Couplers. Connectorized 3 dB 90° Hybrid Coupler models are available with a choice of connectors. Several of our existing High Power 3 dB 90° RF Couplers are three port designs, wherein the difference port is internally terminated with a high power termination. This eliminates the need for a customer supplied external

Restriction on use, duplication, or disclosure of proprietary information. This document contains proprietary information which is the sole property of Werlatone, Inc.

Werlatone, Inc. 17 Jon Barrett Road Patterson, NY 12563 T:(845)278-2220 F:(845)278-3440 sales@werlatone.com www.werlatone.com


load for each Hybrid Coupler.



PRODUCT DATA SHEET




QH9498



Restriction on use, duplication, or disclosure of proprietary information. This document contains proprietary information which is the sole property of Werlatone, Inc.

Werlatone, Inc. 17 Jon Barrett Road Patterson, NY 12563 T:(845)278-2220 F:(845)278-3440 sales@werlatone.com www.werlatone.com

QH9498 Rev.-



Restriction on use, duplication, or disclosure of proprietary information. This document contains proprietary information which is the sole property of Werlatone, Inc. Werlatone, Inc. 17 Jon Barrett Road Patterson, NY 12563 T:(845)278-2220 F:(845)278-3440 sales@werlatone.com www.werlatone.com